

Luxor International Pvt. Ltd.

C-42, Gautam Budh Nagar, Phase II, Noida - 201305 (U.P.) INDIA

Ph. : +91-120-4197000-03 Fax: +91-120-4197004

Email: quality@luxorpen.com URL : www.luxorpen.com**Material Safety Data Sheet****Section I : Identification of Product & Company**

Model	:	TTS Assorted Fine Tip Colouring Pen 288pk, TTS Assorted Broad Tip Colouring Pen 288pk, TTS Assorted Broad Tip Colouring Pen 12pk, TTS Assorted Conical Markers 144pk, TTS Assorted Shape Stampers 8pk, TTS Assorted Fine Colouring Pens in Tub 40pk, TTS Assorted Broad Colouring Pens in Tub 40pk, TTS Handwriter Pen Black 200pk, TTS Handwriter Pen Blue 12pk, TTS Handwriter Pen Blue 200pk, TTS ECO Fineliners Black 12pk, TTS ECO Fineliners Blue 12 pk, TTS Assorted Broad Tip Colouring Pen 96pk
Article No.	:	7180C/288 CLS PK, 6107/288CLS PK, 6107/12 TUB, 6152/144 CLS PK , 6130/8 BOX, 7180/Fine, 7180/ Broad, 31261/200 CLS PK, 31262/12 BOX, 31262/200 CLS PK, 531-33/ 12 Box, 6107/12 Tub.
Ink Colour	:	Black, Blue, Red, Green, Orange, Violet, Brown, Yellow, Camel, T. Blue, Green, Pink,
Manufacturer's Name	:	LUXOR INTERNATIONAL P. LTD (ISO 9001:2015, ISO 14001 & OHSAS 18001 Certified)
Emergency Tel. No.	:	+91-120-4197001
Telephone No.	:	+91-120-419700 2 / 3
Fax No. :	:	+91-120-4607402
Address:	:	C-42, Phase II, Gautam Budh Nagar, Uttar Pradesh-201305, India

Prepared by. : Sanjiv Kumar Saxena
Date : April 30, 2021 Revision : 00

Section –II : Composition

Water Based Ink
Plastic components
Polyester Fiber / Hydrocarbon tip
Polyester Fiber with Extruded PP type of ink reservoir
Other Characteristics: For sketching & drawing.

Section –III : Hazardous Ingredients / Identity Information

CAS NO.: N/A

This product is considered safe under normal uses conditions.

Section- IV : First Aid

1. Acute	:	NO
2. Chronic	:	NO
Signs and symptoms of overexposure	:	N.A.
Medical condition generally aggravated by exposure	:	N.A.
Emergency and first aid procedure	:	N.A.

Approved By : Head QA	Issued By : Team QA	Issue No. 00
Date: 30 April 2021	Date: 30 April 2021	Revision 00

Luxor International Pvt. Ltd.

C-42, Gautam Budh Nagar, Phase II, Noida - 201305 (U.P.) INDIA

Ph. : +91-120-4197000-03 Fax: +91-120-4197004

Email: quality@luxorpen.com URL : www.luxorpen.com

Material Safety Data Sheet

Section-V : Fire & Explosion Hazard Data

Flash point method used	:	N.D.	
Explosion limits (vol.%)	:	LEL : N.A.	UEL : N.A.
Extinguishing media	:	Dry powders, water spray	
Special Fire fighting Precautions	:	Soda Acid, Carbon Die Oxide, Foam type and mechanical dry powder extinguisher	
Auto ignition Temp. (C)	:	N.A.	
List hazardous products decomposition	:	ND .	
Other advice	:	None	

Section-VI : Accidental Release Measures

Routes of entry	Emergency Procedure	Seek medical advice
Inhalation	N.A.	✓
Eyes	N.A.	✓
Skin	N.A.	✓
Ingestion	N.A .	✓

Section-VII: Handling and Storage

Special precaution to be taken during handling	:	Store at room temperature.
Condition: Under normal room temp. (20-40°C)no humidity.		
Other precaution	:	Pens to be stored horizontally if possible.
Incompatibility (materials to avoid)	:	N.A.
Hazardous	:	NO
Polymerization	:	NO

Section-VIII: Exposure Controls & Special Protection

Respiratory protection	:	Not necessary, good room ventilation is sufficient.
Ventilation	:	Local exhaust
Skin and Eye Protection	:	None
Work / hygienic practices	:	None

Section –IX : Physical & Chemical Characteristics

Approved By : Head QA	Issued By : Team QA	Issue No. 00
Date: 30 April 2021	Date: 30 April 2021	Revision 00

Luxor International Pvt. Ltd.

C-42, Gautam Budh Nagar, Phase II, Noida - 201305 (U.P.) INDIA

Ph. : +91-120-4197000-03 Fax: +91-120-4197004

Email: quality@luxorpen.com URL : www.luxorpen.com**Material Safety Data Sheet**

Boiling Point C	:	NA	Density (g/ml)	:	NA
Vapor density (Air = 1)	:	ND	Melting Point C	:	NA
Solubility of ink in water	:	ND	Evaporation rate (butyl acetate=1)	:	N.D.
Pressurized	:	Yes[] No [x]	% volatile	:	N.D.

Section – X Stability & Reactivity

Stability	:	Stable
Condition to Avoid	:	Keep Pen close when not in use
Hazardous Decomposition	:	N/A

Section – XI Toxicological Information / Health Hazards

Effect of Toxicological relevance are not to be expected in the intended use.

Section – XII Ecological Composition

N/A

Section - XIII Disposal Considerations

Waste disposal methods : Dispose in accordance with federal, state & Local Regulation.

Section - XIV Transport Information

Not classified as dangerous group

UN Number : Not Applicable

UN proper shipping name : Not Applicable

Transport hazard class(es) : ICAO/IATA Class, ICAO/IATA Subrisk, ERG CODE : Not Applicable

Section – XV Regulatory Information

This product is a consumer product, no special regulatory information is required.

Section – XVI Other Information's

Note: The information given in this MSDS is based on our present state of knowledge and is no assurance of properties of our products. Existing laws and regulations have to be obeyed by the purchaser himself. The product shall not be used for purposes other than it is assigned for without the consent of the producer.

The information provided above is for general guidance only without responsibility, liability & warranty on our part & subject to change without notice.

N.A. : Not Applicable

Approved By : Head QA	Issued By : Team QA	Issue No. 00
Date: 30 April 2021	Date: 30 April 2021	Revision 00

Luxor International Pvt. Ltd.

C-42, Gautam Budh Nagar, Phase II, Noida - 201305 (U.P.) INDIA

Ph. : +91-120-4197000-03 Fax: +91-120-4197004

Email: quality@luxorpen.com URL : www.luxorpen.com**Material Safety Data Sheet**

N.O. : Not Observed

LEL : Lower Evaporation Limit

UEL : Upper Evaporation Limit

N.D. : Not Determined

Approved By : Head QA	Issued By : Team QA	Issue No. 00
Date: 30 April 2021	Date: 30 April 2021	Revision 00