

**Report No.:** 158314402a 001

Page 1 of 14

**Client:** ONE FOR FUN LIMITED

**Contact Information:** 3-5 Cambuslang Way, Gateway Office Park, Cambuslang, Glasgow,  
G32 8ND

**Test item(s):** Toys

**Identification/** SCRUNCHEMS SQUISHY SUSHI

**Model No(s):** 38822

**Sample obtaining method:** Sending by customer

**Condition at delivery:** Test item complete and undamaged.

**Sample Receiving date:** 2025-08-01

**Testing Period:** 2025-08-01 to 2025-08-07

**Place of testing:** -

**Test Specification:**

Safety Data Sheets (SDSs) for the sample based on submitted composition.

**Test result:**

Refer to result page

**Other information:**

As per request, the SDS is prepared in accordance with the EU REACH Regulation (EC) No 1907/2006 and CLP Regulation (EC) No. 1272/2008, and is provided per attached.

The SDS is prepared based on the information provided by the client.

For and on behalf of  
TÜV Rheinland Hong Kong Ltd.

2025-08-08

Date

  
Amenda Yung / Senior CS Manager

Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.

This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

"Decision Rule" document announced in our website (<https://www.tuv.com/en/qm-gcn/>) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 8/6/2025 Revision date: 8/6/2025 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : SCRUNCHEMS SQUISHY SUSHI  
Product code : 38822

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Use of the substance/mixture : Toys

##### Uses advised against

Restrictions on use : No information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

One For Fun Limited  
3-5 Cambuslang Way, Gateway Office Park, Cambuslang, Glasgow  
G32 8ND  
T +44 (0)1603 397147  
[Ben.wookcock@oneforfun.com](mailto:Ben.wookcock@oneforfun.com)

#### 1.4. Emergency telephone number

Emergency number : +44(0)1603 397147

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) : Not applicable.  
Signal word (CLP) : Not applicable.  
Hazard statements (CLP) : Not applicable.  
Precautionary statements (CLP) : Not applicable.  
EUH-statements : Not applicable.

#### 2.3. Other hazards

Other hazards which do not result in classification : No information available.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

| Name                                  | Product identifier                                                   | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                      |
|---------------------------------------|----------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------|
| Water                                 | CAS-No.: 7732-18-5<br>EC-No.: 231-791-2                              | 62.48 | Not classified                                                                                       |
| Vinyl acetate-vinyl alcohol copolymer | CAS-No.: 25213-24-5<br>EC-No.: 607-648-9                             | 20    | Not classified                                                                                       |
| Sodium lauryl sulfate                 | CAS-No.: 151-21-3<br>EC-No.: 205-788-1                               | 8     | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 3, H412      |
| 1,2,3-Propanetriol                    | CAS-No.: 56-81-5<br>EC-No.: 200-289-5                                | 8     | Not classified                                                                                       |
| Cellulose                             | CAS-No.: 9004-34-6<br>EC-No.: 232-674-9                              | 1.5   | Not classified                                                                                       |
| 2-Phenoxyethanol                      | CAS-No.: 122-99-6<br>EC-No.: 204-589-7<br>EC Index-No.: 603-098-00-9 | 0.02  | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>oral:<br>ATE = 1394 mg/kg bw (-) |

#### Specific concentration limits:

| Name                  | Product identifier                     | Specific concentration limits (%)                         |
|-----------------------|----------------------------------------|-----------------------------------------------------------|
| Sodium lauryl sulfate | CAS-No.: 151-21-3<br>EC-No.: 205-788-1 | Eye Irrit. 2; : 10 % ≤ C < 20 %<br>Eye Dam. 1; : C ≥ 20 % |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |                                                                  |
|---------------------------------------|------------------------------------------------------------------|
| First-aid measures general            | : If you feel unwell, seek medical advice.                       |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water.                                |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.                         |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.           |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                  |                                 |
|------------------|---------------------------------|
| Symptoms/effects | : None under normal conditions. |
|------------------|---------------------------------|

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : No information available.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Eliminate all ignition sources if safe to do so. Evacuate personnel to a safe area.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area.

##### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Stop leak if safe to do so. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat. Eliminate all ignition sources if safe to do so. Comply with applicable regulations.  
Storage conditions : Store tightly closed in a dry, cool and well-ventilated place.  
Incompatible materials : No information available.  
Packaging materials : Store always product in container of same material as original container.

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

| 1,2,3-Propanetriol (56-81-5)                      |                                                                                                                                                                |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Belgium - Occupational Exposure Limits            |                                                                                                                                                                |
| Local name                                        | Glycérine (brouillard) # Glycerine (nevel)                                                                                                                     |
| OEL TWA                                           | 10 mg/m <sup>3</sup> (mist)                                                                                                                                    |
| Regulatory reference                              | Koninklijk besluit/Arrêté royal 16/11/2023                                                                                                                     |
| Croatia - Occupational Exposure Limits            |                                                                                                                                                                |
| Local name                                        | Glicerol                                                                                                                                                       |
| GVI (OEL TWA)                                     | 10 mg/m <sup>3</sup>                                                                                                                                           |
| Regulatory reference                              | Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023) |
| Czech Republic - Occupational Exposure Limits     |                                                                                                                                                                |
| Local name                                        | Glycerol, mlha                                                                                                                                                 |
| PEL (OEL TWA)                                     | 10 mg/m <sup>3</sup><br>2.6 ppm                                                                                                                                |
| NPK-P (OEL C)                                     | 15 mg/m <sup>3</sup><br>3.9 ppm                                                                                                                                |
| Regulatory reference                              | Nařízení vlády č. 361/2007 Sb. (Předpis 20/2025 Sb.)                                                                                                           |
| Estonia - Occupational Exposure Limits            |                                                                                                                                                                |
| Local name                                        | Glütseriin (glütserool, 1,2,3-propaantriol)                                                                                                                    |
| OEL TWA                                           | 10 mg/m <sup>3</sup>                                                                                                                                           |
| Regulatory reference                              | Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 02.04.2024, 13)                                                                                   |
| Finland - Occupational Exposure Limits            |                                                                                                                                                                |
| Local name                                        | Glyseroli                                                                                                                                                      |
| HTP (OEL TWA)                                     | 20 mg/m <sup>3</sup>                                                                                                                                           |
| Regulatory reference                              | HTP-ARVOT 2025 (Sosiaali- ja terveystieteiden ministeriö)                                                                                                      |
| France - Occupational Exposure Limits             |                                                                                                                                                                |
| Local name                                        | Glycérine (aérosols de)                                                                                                                                        |
| VME (OEL TWA)                                     | 10 mg/m <sup>3</sup> (aerosol)                                                                                                                                 |
| Remark                                            | Valeurs recommandées/admises                                                                                                                                   |
| Regulatory reference                              | Circulaire du Ministère du travail (réf.: INRS ED 6443, 2022; Outil65)                                                                                         |
| Germany - Occupational Exposure Limits (TRGS 900) |                                                                                                                                                                |
| Local name                                        | Glycerin                                                                                                                                                       |
| AGW (OEL TWA)                                     | 200 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)                      |

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                      |                                                                                                                                                                                                                                                            |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1,2,3-Propanetriol (56-81-5)</b>                  |                                                                                                                                                                                                                                                            |
| Peak exposure limitation factor                      | 2(l)                                                                                                                                                                                                                                                       |
| Remark                                               | DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden |
| Regulatory reference                                 | TRGS900                                                                                                                                                                                                                                                    |
| <b>Greece - Occupational Exposure Limits</b>         |                                                                                                                                                                                                                                                            |
| Local name                                           | Γλυκερίνη                                                                                                                                                                                                                                                  |
| OEL TWA                                              | 10 mg/m <sup>3</sup>                                                                                                                                                                                                                                       |
| Regulatory reference                                 | Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους                                                                                                                    |
| <b>Poland - Occupational Exposure Limits</b>         |                                                                                                                                                                                                                                                            |
| Local name                                           | Glicerol                                                                                                                                                                                                                                                   |
| NDS (OEL TWA)                                        | 10 mg/m <sup>3</sup> (inhalable fraction)                                                                                                                                                                                                                  |
| Remark                                               | Frakcja wdychalna – frakcja aerozolu wnikażąca przez nos i usta, która stwarza zagrożenie dla zdrowia po zdeponowaniu w drogach oddechowych.                                                                                                               |
| Regulatory reference                                 | Dz. U. 2024 poz. 1017 wraz z późn. zm.                                                                                                                                                                                                                     |
| <b>Portugal - Occupational Exposure Limits</b>       |                                                                                                                                                                                                                                                            |
| OEL TWA                                              | 10 mg/m <sup>3</sup> (mist)                                                                                                                                                                                                                                |
| <b>Slovakia - Occupational Exposure Limits</b>       |                                                                                                                                                                                                                                                            |
| Local name                                           | Glycerín                                                                                                                                                                                                                                                   |
| NPHV (OEL TWA)                                       | 10 mg/m <sup>3</sup>                                                                                                                                                                                                                                       |
| Regulatory reference                                 | Nariadenie vlády č. 355/2006 Z. z. (122/2024 Z. z.)                                                                                                                                                                                                        |
| <b>Slovenia - Occupational Exposure Limits</b>       |                                                                                                                                                                                                                                                            |
| Local name                                           | glicerín                                                                                                                                                                                                                                                   |
| OEL TWA                                              | 200 mg/m <sup>3</sup> (inhalable fraction)                                                                                                                                                                                                                 |
| OEL STEL                                             | 400 mg/m <sup>3</sup> (inhalable fraction)                                                                                                                                                                                                                 |
| Remark                                               | Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti)                                                                                                                                                           |
| Regulatory reference                                 | Uradni list RS, št. 29/2024 z dne 4. 4. 2024 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu                                                                                                               |
| <b>Spain - Occupational Exposure Limits</b>          |                                                                                                                                                                                                                                                            |
| Local name                                           | Glicerina                                                                                                                                                                                                                                                  |
| VLA-ED (OEL TWA)                                     | 10 mg/m <sup>3</sup> (mist)                                                                                                                                                                                                                                |
| Regulatory reference                                 | Límites de Exposición Profesional para Agentes Químicos en España 2025. INSHT                                                                                                                                                                              |
| <b>United Kingdom - Occupational Exposure Limits</b> |                                                                                                                                                                                                                                                            |
| Local name                                           | Glycerol                                                                                                                                                                                                                                                   |
| WEL TWA (OEL TWA)                                    | 10 mg/m <sup>3</sup> (mist)                                                                                                                                                                                                                                |
| WEL STEL (OEL STEL)                                  | 30 mg/m <sup>3</sup> (calculated-mist)                                                                                                                                                                                                                     |
| Regulatory reference                                 | EH40/2005 (Fourth edition, 2020). HSE                                                                                                                                                                                                                      |

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                          |                                                                                                                        |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>1,2,3-Propanetriol (56-81-5)</b>                      |                                                                                                                        |
| <b>Switzerland - Occupational Exposure Limits</b>        |                                                                                                                        |
| Local name                                               | Glycérine / Glycerin                                                                                                   |
| MAK (OEL TWA)                                            | 50 mg/m <sup>3</sup> (inhalable dust)                                                                                  |
| KZGW (OEL STEL)                                          | 100 mg/m <sup>3</sup> (inhalable dust)                                                                                 |
| Notation                                                 | SS <sub>C</sub> / SS <sub>C</sub>                                                                                      |
| Regulatory reference                                     | www.suva.ch, 01.01.2025                                                                                                |
| <b>2-Phenoxyethanol (122-99-6)</b>                       |                                                                                                                        |
| <b>Austria - Occupational Exposure Limits</b>            |                                                                                                                        |
| MAK (OEL TWA)                                            | 110 mg/m <sup>3</sup>                                                                                                  |
|                                                          | 20 ppm                                                                                                                 |
| MAK (OEL STEL)                                           | 110 mg/m <sup>3</sup>                                                                                                  |
|                                                          | 20 ppm                                                                                                                 |
| OEL C                                                    | 110 mg/m <sup>3</sup>                                                                                                  |
|                                                          | 20 ppm                                                                                                                 |
| <b>Finland - Occupational Exposure Limits</b>            |                                                                                                                        |
| HTP (OEL TWA)                                            | 110 mg/m <sup>3</sup>                                                                                                  |
|                                                          | 20 ppm                                                                                                                 |
| HTP (OEL STEL)                                           | 290 mg/m <sup>3</sup>                                                                                                  |
|                                                          | 50 ppm                                                                                                                 |
| OEL chemical category                                    | Potential for cutaneous absorption                                                                                     |
| <b>Germany - Occupational Exposure Limits (TRGS 900)</b> |                                                                                                                        |
| AGW (OEL TWA)                                            | 5.7 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |
|                                                          | 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)                 |
| <b>Poland - Occupational Exposure Limits</b>             |                                                                                                                        |
| NDS (OEL TWA)                                            | 230 mg/m <sup>3</sup>                                                                                                  |
| <b>Slovenia - Occupational Exposure Limits</b>           |                                                                                                                        |
| OEL TWA                                                  | 5.7 mg/m <sup>3</sup>                                                                                                  |
|                                                          | 1 ppm                                                                                                                  |
| OEL STEL                                                 | 5.7 mg/m <sup>3</sup>                                                                                                  |
|                                                          | 1 ppm                                                                                                                  |
| <b>Switzerland - Occupational Exposure Limits</b>        |                                                                                                                        |
| MAK (OEL TWA)                                            | 110 mg/m <sup>3</sup> (aerosol, vapour)                                                                                |
|                                                          | 20 ppm (aerosol, vapour)                                                                                               |
| KZGW (OEL STEL)                                          | 110 mg/m <sup>3</sup> (aerosol, vapour)                                                                                |
|                                                          | 20 ppm (aerosol, vapour)                                                                                               |

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                      |                                                                                                 |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Cellulose (9004-34-6)</b>                         |                                                                                                 |
| <b>Belgium - Occupational Exposure Limits</b>        |                                                                                                 |
| OEL TWA                                              | 10 mg/m <sup>3</sup>                                                                            |
| <b>Croatia - Occupational Exposure Limits</b>        |                                                                                                 |
| GVI (OEL TWA)                                        | 10 mg/m <sup>3</sup> (total dust, inhalable particles)<br>4 mg/m <sup>3</sup> (respirable dust) |
| KGVI (OEL STEL)                                      | 20 mg/m <sup>3</sup> (total dust, inhalable particles)                                          |
| <b>Estonia - Occupational Exposure Limits</b>        |                                                                                                 |
| OEL TWA                                              | 10 mg/m <sup>3</sup> (respirable dust)                                                          |
| <b>France - Occupational Exposure Limits</b>         |                                                                                                 |
| VME (OEL TWA)                                        | 10 mg/m <sup>3</sup>                                                                            |
| <b>Ireland - Occupational Exposure Limits</b>        |                                                                                                 |
| OEL TWA                                              | 10 mg/m <sup>3</sup>                                                                            |
| OEL STEL                                             | 30 mg/m <sup>3</sup>                                                                            |
| <b>Latvia - Occupational Exposure Limits</b>         |                                                                                                 |
| OEL TWA                                              | 2 mg/m <sup>3</sup>                                                                             |
| <b>Portugal - Occupational Exposure Limits</b>       |                                                                                                 |
| OEL TWA                                              | 10 mg/m <sup>3</sup>                                                                            |
| <b>Romania - Occupational Exposure Limits</b>        |                                                                                                 |
| OEL TWA                                              | 10 mg/m <sup>3</sup> (dust, inhalable fraction)                                                 |
| <b>Spain - Occupational Exposure Limits</b>          |                                                                                                 |
| VLA-ED (OEL TWA)                                     | 10 mg/m <sup>3</sup>                                                                            |
| <b>United Kingdom - Occupational Exposure Limits</b> |                                                                                                 |
| WEL TWA (OEL TWA)                                    | 10 mg/m <sup>3</sup> (inhalable dust)<br>4 mg/m <sup>3</sup> (respirable dust)                  |
| WEL STEL (OEL STEL)                                  | 20 mg/m <sup>3</sup> (inhalable dust)<br>12 mg/m <sup>3</sup> (calculated-respirable dust)      |
| <b>Switzerland - Occupational Exposure Limits</b>    |                                                                                                 |
| MAK (OEL TWA)                                        | 3 mg/m <sup>3</sup> (respirable dust)                                                           |
| <b>USA - ACGIH - Occupational Exposure Limits</b>    |                                                                                                 |
| ACGIH® TLV® TWA                                      | 10 mg/m <sup>3</sup>                                                                            |

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Handle in accordance with good industrial hygiene and safety practice.

### Personal protection equipment

#### Eye and face protection

##### Eye protection:

Safety glasses

#### Skin protection

##### Skin and body protection:

Wear suitable protective clothing

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Hand protection:

Protective gloves

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Thermal hazards

No additional information available

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                        |
|-------------------------------------------------|------------------------|
| Physical state                                  | : Solid                |
| Colour                                          | : Multi-colorful       |
| Appearance                                      | : Multi-colorful solid |
| Odour                                           | : Not available        |
| Odour threshold                                 | : Not available        |
| Melting point                                   | : Not available        |
| Freezing point                                  | : Not available        |
| Boiling point                                   | : Not available        |
| Flammability                                    | : Not available        |
| Lower explosion limit                           | : Not available        |
| Upper explosion limit                           | : Not available        |
| Flash point                                     | : Not available        |
| Auto-ignition temperature                       | : Not available        |
| Decomposition temperature                       | : Not available        |
| pH                                              | : Not available        |
| pH solution                                     | : Not available        |
| Viscosity, kinematic                            | : Not available        |
| Solubility                                      | : Not available        |
| Partition coefficient n-octanol/water (Log Kow) | : Not available        |
| Vapour pressure                                 | : Not available        |
| Vapour pressure at 50°C                         | : Not available        |
| Density                                         | : Not available        |
| Relative density                                | : Not available        |
| Relative vapour density at 20°C                 | : Not available        |
| Particle size                                   | : Not available        |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Sodium lauryl sulfate (151-21-3)

|               |            |
|---------------|------------|
| LD50 oral rat | 1200 mg/kg |
|---------------|------------|

#### 1,2,3-Propanetriol (56-81-5)

|           |             |
|-----------|-------------|
| LD50 oral | 11500 mg/kg |
|-----------|-------------|

|             |             |
|-------------|-------------|
| LD50 dermal | 56750 mg/kg |
|-------------|-------------|

#### 2-Phenoxyethanol (122-99-6)

|           |            |
|-----------|------------|
| LD50 oral | 1394 mg/kg |
|-----------|------------|

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

#### 2-Phenoxyethanol (122-99-6)

|                      |                                   |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

### 11.2. Information on other hazards

#### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

### 2-Phenoxyethanol (122-99-6)

|                  |                 |
|------------------|-----------------|
| LC50 - Fish      | 344 mg/l        |
| EC50 - Crustacea | 488 mg/l (48 h) |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

#### Sodium lauryl sulfate (151-21-3)

|                                                 |         |
|-------------------------------------------------|---------|
| Partition coefficient n-octanol/water (Log Pow) | ≤ -2.03 |
|-------------------------------------------------|---------|

#### 1,2,3-Propanetriol (56-81-5)

|                                                 |                             |
|-------------------------------------------------|-----------------------------|
| Partition coefficient n-octanol/water (Log Pow) | -1.75 (at 25 °C (at pH 7.4) |
|-------------------------------------------------|-----------------------------|

#### 2-Phenoxyethanol (122-99-6)

|                                                 |     |
|-------------------------------------------------|-----|
| Partition coefficient n-octanol/water (Log Pow) | 1.2 |
|-------------------------------------------------|-----|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### SCRUNCHEMS SQUISHY SUSHI

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Contaminated packaging : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : No additional information available.

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG                                                      | IATA                              | ADN                               | RID                               |
|-----------------------------------------|-----------------------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>14.1. UN number or ID number</b>     |                                                           |                                   |                                   |                                   |
| Not regulated                           | Not regulated                                             | Not regulated                     | Not regulated                     | Not regulated                     |
| <b>14.2. UN proper shipping name</b>    |                                                           |                                   |                                   |                                   |
| Not regulated                           | Not regulated                                             | Not regulated                     | Not regulated                     | Not regulated                     |
| <b>14.3. Transport hazard class(es)</b> |                                                           |                                   |                                   |                                   |
| Not regulated                           | Not regulated                                             | Not regulated                     | Not regulated                     | Not regulated                     |
| <b>14.4. Packing group</b>              |                                                           |                                   |                                   |                                   |
| Not regulated                           | Not regulated                                             | Not regulated                     | Not regulated                     | Not regulated                     |
| <b>14.5. Environmental hazards</b>      |                                                           |                                   |                                   |                                   |
| Dangerous for the environment: No       | Dangerous for the environment: No<br>Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available  |                                                           |                                   |                                   |                                   |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Abbreviations and acronyms: |                                                                                                 |
|-----------------------------|-------------------------------------------------------------------------------------------------|
| ACGIH                       | American Conference of Government Industrial Hygienists                                         |
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | Agreement concerning the International Carriage of Dangerous Goods by Road                      |
| ATE                         | Acute Toxicity Estimate                                                                         |
| BCF                         | Bioconcentration factor                                                                         |
| BLV                         | Biological limit value                                                                          |
| BOD                         | Biochemical oxygen demand (BOD)                                                                 |
| CAS-No.                     | Chemical Abstract Service number                                                                |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |
| COD                         | Chemical oxygen demand (COD)                                                                    |
| CSA                         | Chemical safety assessment                                                                      |
| DMEL                        | Derived Minimal Effect level                                                                    |
| DNEL                        | Derived-No Effect Level                                                                         |
| EC-No.                      | European Community number                                                                       |
| EC50                        | Median effective concentration                                                                  |
| ED                          | Endocrine disruptor                                                                             |
| EN                          | European Standard                                                                               |
| EWC                         | European waste catalogue                                                                        |
| IARC                        | International Agency for Research on Cancer                                                     |
| IATA                        | International Air Transport Association                                                         |
| IMDG                        | International Maritime Dangerous Goods                                                          |
| LC50                        | Median lethal concentration                                                                     |
| LD50                        | Median lethal dose                                                                              |
| LOAEL                       | Lowest Observed Adverse Effect Level                                                            |
| Log Kow                     | Partition coefficient n-octanol/water (Log Kow)                                                 |
| Log Pow                     | Partition coefficient n-octanol/water (Log Pow)                                                 |
| MAK                         | maximum workplace concentration                                                                 |
| NOAEC                       | No-Observed Adverse Effect Concentration                                                        |
| NOAEL                       | No-Observed Adverse Effect Level                                                                |
| NOEC                        | No-Observed Effect Concentration                                                                |

# SCRUNCHEMS SQUISHY SUSHI

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| N.O.S.                      | Not Otherwise Specified                                                      |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit                                                  |
| OSHA                        | Occupational Safety Health Administration                                    |
| PBT                         | Persistent Bioaccumulative Toxic                                             |
| PNEC                        | Predicted No-Effect Concentration                                            |
| PPE                         | Personal protection equipment                                                |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet                                                            |
| STP                         | Sewage treatment plant                                                       |
| TF                          | Technical function                                                           |
| ThOD                        | Theoretical oxygen demand (ThOD)                                             |
| TLM                         | Median Tolerance Limit                                                       |
| TWA                         | Time Weighted Average                                                        |
| VOC                         | Volatile Organic Compounds                                                   |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| UFI                         | Unique Formula Identifier                                                    |

Version : 1.0  
Issue date : 8/6/2025  
Revision date : 8/6/2025  
Data sources : ECHA reference. LOLI.  
Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.  
Other information : No information available.

| Full text of H- and EUH-statements: |                                                    |
|-------------------------------------|----------------------------------------------------|
| H302                                | Harmful if swallowed.                              |
| H315                                | Causes skin irritation.                            |
| H318                                | Causes serious eye damage.                         |
| H335                                | May cause respiratory irritation.                  |
| H412                                | Harmful to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

## General Terms and Conditions of Business of TÜV Rheinland in Greater China

**1. Scope**  
These General Terms and Conditions of Business of TÜV Rheinland in Greater China ("GTCB") shall be made between one or more members of the TÜV Rheinland Group in Greater China as applicable as the case may be ("TÜV Rheinland"). The Greater China hereof refers to the regions within the territories of China. The client hereby includes:

- (i) a natural person capable to form legally binding contracts under the applicable laws who concludes the contract for the purpose of the daily use;
- (ii) the incorporated or unincorporated entity duly organized, validly existing and capable to form legally binding contracts under the applicable law.

The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance.

Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.

In the context of an ongoing business relationship with the client, this GTCB shall also apply to future contracts with the client without TÜV Rheinland having to refer to them separately in each individual case.

### 2. Quotations

Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

### 3. Coming into effect and duration of contracts

The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the request requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested services.

The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.

If the contract provides for an extension of the contract term, the contract term will be extended by the term provided in the contract where such extension is written by both parties with a three-month notice prior to the end of the contractual term.

### 4. Scope of services

The scope and type of the services to be provided by TÜV Rheinland shall be specified in the contractually agreed service scope of TÜV Rheinland by both parties. If no such separate service scope of TÜV Rheinland exists, then the written confirmation of order by TÜV Rheinland shall be decisive for the service to be provided. Unless otherwise agreed, services beyond the scope of the service description (e.g. checking of the construction of parts, products, processes, installations, organizations not listed in the service description, as well as the intended use and application of such) are not owed. In particular, no responsibility is assumed for the design, selection of materials, construction or intended use of an examined part, product, process or plant, unless this is expressly stated in the order.

The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into. TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.

On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole or of upstream and/or downstream processes, organizations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TÜV Rheinland shall assume no responsibility for the construction, selection of materials and assembly of installations examined by TÜV Rheinland. TÜV Rheinland is not responsible with regulations, unless these questions are expressly covered by the contract.

In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing or if mandatory provisions require a specific procedure to be followed.

If mandatory legal regulations and standards or official requirements for the agreed service scope change after conclusion of the contract, with a written notice to the client, TÜV Rheinland shall be entitled to additional remuneration for resulting additional expenses.

The services to be provided by TÜV Rheinland under the contract are agreed exclusively with the client. A contract of third parties with the services of TÜV Rheinland, as well as making available of and justifying confidence in the work results (test reports, test results, expert reports, etc.) are not part of the agreed services. This also applies if the client passes on work results - in full or in extracts - to third parties in accordance with clause 11.4.

The client understands and agrees to perform the contract with TÜV Rheinland, the client may need to sign one or more contractual agreements with all more third party(ies) and establish legal relationships with those third party(ies) according to such contractual agreements. TÜV Rheinland hereby bears the corresponding legal liability according to this contract and the direct services actually to be provided by our company in the service process. If the relevant services are not directly provided by TÜV Rheinland (including but not limited to any testing and certification services to be provided by third parties, test and certification services), TÜV Rheinland will provide the client as agent for such relevant services. In order to achieve the purpose of the contract, the client hereby agrees that TÜV Rheinland (including but not limited to a third party) to party undertake all necessary responsibilities, including but not limited to responsibility and/or risk for any services to be provided by any third parties (including but not limited to the testing and/or certification services to be entrusted and/or applied for by our company on behalf of the client or other testing and/or certification bodies, agency services provided by any other third party(ies), etc.). Besides, the client shall be liable in accordance with the relevant laws and regulations and/or the terms under the contract. If the client is required to provide any annual renewal/validity of the relevant services, TÜV Rheinland shall be responsible and pay additional fees in accordance with the relevant laws and regulations or the testing and certification rules, such fees are not within the scope of the contract price, the client shall timely perform the obligation to pay the relevant fees to the corresponding fees.

If the client fails to perform such obligations of the annual renewal/surveillance or fees payment, it may lead to adverse consequences such as failure of the surveillance/invalidity of testing and/or certification results, which shall not be borne by TÜV Rheinland. If the client fails to perform such obligations of the annual renewal/surveillance or fees payment, it may lead to adverse consequences such as failure of the surveillance/invalidity of testing and/or certification results, which shall not be borne by TÜV Rheinland.

For the service contract agreed in the contract, if the client requires TÜV Rheinland to deliver relevant test samples, data, etc. to any overseas laboratory or other places or sites to be designated by the client, TÜV Rheinland shall not take any responsibilities, including but not limited to problems during such delivery and the transportation process (including but not limited to any loss or damages of the samples and/or the materials, etc.). Besides, the relevant freight fees shall be borne by the client.

### 5. Performance period/dates

The contractually agreed period/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being consistent as binding by TÜV Rheinland in writing. If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.

Articles 5.1 and 5.2 shall apply, even without express agreement by the client, to all extensions of agreed period/dates of performance not caused by TÜV Rheinland.

TÜV Rheinland is not responsible for a delay in performance, in particular if the client has not fulfilled his obligations in accordance with clause 11 and has not done so to time and, in particular, has not provided TÜV Rheinland with all documents and information required for the performance of the service as specified in the contract.

If the performance of TÜV Rheinland is delayed due to unforeseeable circumstances such as force majeure, strikes, business disruptions, governmental regulations, transport obstacles, etc., TÜV Rheinland is entitled to postpone performance for a reasonable period of time which corresponds at least to the duration of the hindrance plus any time period which may be required to resume performance.

If the client is obliged to comply with legal, officially prescribed and/or by the accreditator prescribed deadlines, it is the client's responsibility to ensure compliance with such deadlines, in particular, which enable the client to comply with the legal and/or officially prescribed deadlines. TÜV Rheinland assumes no responsibility in this respect unless TÜV Rheinland expressly agreed in writing specifically stating that ensuring the deadlines is the contractual obligation of TÜV Rheinland.

### 6. The client's obligation to cooperate

The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to TÜV Rheinland.

Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions. And the client represents and warrants that:

- a) it has required statutory qualifications;
- b) the product, service or management system to be certified complies with applicable laws and regulations; and
- c) it doesn't have any legal and dishonest behaviours or is not included in the list of Enterprises with Serious Illegal and Dishonest Acts of People's Republic of China.

If the client breaches the aforesaid representations and warranties, TÜV Rheinland is entitled to i) immediately terminate the contract/order without prior notice; and ii) withdraw the issued testing report/certificates if any.

The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed, TÜV Rheinland shall be entitled to charge extra fees for such additional expense.

### 7. Prices

If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be based on the price list of TÜV Rheinland valid at the time of performance.

Unless otherwise agreed, work orders shall be issued by the client. If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds €2,500.00 or equivalent value in local currency, TÜV Rheinland may demand payments on account or in instalments.

### 8. Payment terms

All invoice amounts shall be due for payment within 30 days of the invoice date without deduction on receipt of the invoice. No discounts and rebates shall be granted.

Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and client numbers.

In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term interest rate publicly announced by a reputable commercial bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.

Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.

The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.

Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.

April 2024