

Material Safety Data Sheet (MSDS) For OIL PASTEL

Applicant: RM EDUCATIONAL RESOURCES LTD (T/A TTS)
Address: BUILDING 1,HEYWORTH ROAD,HARRIER BUSINESS
PARK,HUCKNALL,NOTTINGHAMSHIRE,NG15 6XJ,UNITED
KINGDOM

Prepared by: Ningbo Hatek Co., Ltd.
Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang
315013, China.
Tel: +86-0574-87171888
Fax: /

Requested As per request, the contents and formats of the MSDS are prepared in
accordance with Regulation (EC) No 1907/2006, its amendment
Regulation (EU) No 2020/878, (EC) No 1272/2008, its amendment
Regulation (EU) No 2023/707 and are provided per attached.

Signed for and on behalf of
Ningbo Hatek Co., Ltd



This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Section 1 - Chemical Product and Company Identification

1.1 Product identifier

Product name: OIL PASTEL

Product number: /

1.2 Details of the supplier of the material safety data sheet

Manufacturer/Supplier: RM EDUCATIONAL RESOURCES LTD (T/A TTS)

Address: BUILDING 1,HEYWORTH ROAD,HARRIER BUSINESS PARK, HUCKNALL, NOTTINGHAMSHIRE, NG15 6XJ,UNITED KINGDOM

Tel: 13970516880

E-mail: bluesea_88@163.com

Only Representative/other EU contact point: Not available

Section 2 –Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Regulation(EC)No. 1272/2008[CLP]	Classification procedure
Not applicable	Not applicable

2.2 Label elements

Labeling according to Regulation (EC) No. 1272/2008:

The product is not labelled according to CLP Regulation

Hazard pictograms: Not applicable

Signal word:Not applicable

Hazard-determining components of labelling: Not applicable

Hazard statements: Not applicable

Precautionary statement: Not applicable

Supplemental label elements: Not applicable

2.3 Other hazards:

Results of PBT and vPvB assessment

This mixture does not meet the criteria for PBT and vPvB substance according to REACH No 1907/2006.

This mixture does not contain substances with endocrine disrupting properties in accordance with the criteria laid down in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Section 3 – Composition/Information on Ingredient

Chemical Name	CAS No.	Composition (in% by weight)	Classification
Product 1: Red			
Calcium carbonate CaCO ₃	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
A20 2B-TONER(CA)	7023-61-2	0.03%	Not classified
LAKEREDC(BA)	5281/4/9	0.02%	Not classified
Product 3: Orange			
Calcium carbonate CaCO ₃	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Fast OrangeG	3520-72-7	0.03%	Not classified
Benzidine Yellow G-A	6358-85-6	0.02%	Not classified
Product 5: Pale Orange			
Calcium carbonate CaCO ₃	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Fast Orange G	3520-72-7	0.03%	Not classified
Fast Yellow 10G	6486-23-3	0.02%	Not classified
Product 8: Yellow			
Calcium carbonate CaCO ₃	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Fast Yellow G	2512-29-0	0.03%	Not classified
Benzidine Yellow G-A	6358-85-6	0.02%	Not classified
Product 11: Yellow Green			
Calcium carbonate CaCO ₃	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Fast Yellow 10G	6486-23-3	0.01%	Not classified
Fast Green G	1328-53-6	0.04%	Not classified
Product 13: Green			
Calcium carbonate CaCO ₃	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Ningbo HATEK Co., Ltd.

Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China.

Tel: 86-574-55127888 www.HATEK.com.cn E-mail: info@HATEK.com.cn

Oic	8012-95-1	14.95%	Not classified
Fast Yellow G	2512-29-0	0.005%	Not classified
Fast Green G	1328-53-6	0.045%	Not classified
Product 17: Skyblue			
Calcium carbonate CaCO3	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Fast Blue BGS	147-14-8	0.03%	Not classified
Fast Yellow G	2512-29-0	0.02%	Not classified
Product 19: Cobalt Blue			
Calcium carbonate CaCO3	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Fast Blue BGS	147-14-8	0.035%	Not classified
Fast Green G	1328-53-6	0.015%	Not classified
Product 29: Brown			
Calcium carbonate CaCO3	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Fast OrangeG	3520-72-7	0.03%	Not classified
Lron Oxide Ved	1309-37-1	0.02%	Not classified
Product 31: Black			
Calcium carbonate CaCO3	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
BLACK	1333-86-4	0.05%	Not classified
Product 33: Gray			
Calcium carbonate CaCO3	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
BLACK	1333-86-4	0.001%	Not classified
Titanium Dioxide Powder	13463-67-7	0.049%	Not classified
Product 34: White			
Calcium carbonate CaCO3	471-34-1	45%	Not classified
Stearic acid	057-11-4	40%	Not classified
Oil	8012-95-1	14.95%	Not classified
Titanium Dioxide Powder	13463-67-7	0.05%	Not classified

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Ningbo HATEK Co., Ltd.

Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China.

Tel: 86-574-55127888 www.HATEK.com.cn E-mail: info@HATEK.com.cn

Section 4 - First Aid Measures

After skin contact: Clean with soapy water.

After eye contact: Rinse opened eye for several minutes under running water.

After ingestion: If swallowed, dilute with water and induce vomiting. Never give fluids or induce vomiting to an unconscious person or person having convulsions. Seek medical attention immediately in this case.

Section 5 – Fire and Explosion Hazard Data

Extinguishing media: Small exergy CO₂, dry powder fire extinguishers, sand or clay, fire foam fire extinguisher, if involving charged device, preferably using dry powder fire extinguisher.

Specific hazards arising from the substance or mixture: Slight fire hazard when exposed to heat or flame. May expansion or decompose explosively when heated or involved in fire. Development of hazardous combustion gases or vapor possible in the event of fire.

Advice for fire-fighters: As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 - Accidental Release Measures

Environmental Protection: Isolation leakage polluted area, restricting access. Cut off the fire source.

Recommended emergency personnel wearing a dust mask (full cover), wearing protective clothing. Leakage areas keep ventilation.

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid breathing vapours, mist, gas or dust. Avoid vapour formation.

Procedure for Cleaning/Collecting: Contain the spilled material using non-combustible absorbent and collect for disposal in accordance with local regulations using specified containers.

Section 7 - Handling and Storage

Handling Precautions: The use of human or corresponding mechanical equipment for foam stacking and waste recycling. Disposal of this material must be made in accordance with Federal, State and Local regulations.

Storage Precautions: Products must be stored in place of dike. Maintain warehouse cool, dry, ventilated, not subject to direct sunlight. Warehouse is strictly prohibited fireworks, from all sources of water, and equipped with the appropriate variety of fire equipment.

Section 8 - Exposure Controls, Personal Protection

Control parameters: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering controls: Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating /lighting/equipment. Set up emergency exit and necessary risk-elimination area. Handle in accordance with good industrial hygiene and safety practice.

Eye protection: Wear chemical safety glasses.

Body protection: Wear protective overalls on infiltration.

Hand protection: Wash hands after completing work. Gloves recommended.

Other protection: 1. Work site prohibit smoking, eating and drinking; 2. Work complete, thorough cleaning; 3. Separate storage of toxic pollution by the clothes, washed the standby; 4. Pay attention to personal hygiene.

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Section 9 - Physical and Chemical Properties

Physical State: Solid

Odor: Odorless

Colour: Various colors

PH value: N/A

Vapor Pressure: N/A

Melting point: N/A

Boiling point: N/A

Flammability(solid, gas): N/A

Vapor Density (Air = 1): N/A

Decomposition Temperature: N/A

Evaporation rate (butyl acetate = 1): N/A

Density (water = 1): N/A

Flash Point: N/A

Other information: N/A

Section 10 - Stability and Reactivity

Stability: Normal conditions and stability.

Avoid material: Dimethyl benzene, Acetone and other solvents.

Avoid contact with conditions: 1. Avoid heat, fire environment; 2. Avoid strong oxidizing environment; 3. Avoid exposure to strong acidic environment.

Aggregate hazard: N/A

Decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced

Section 11 - Toxicological Information

Acute toxicity: No date available

Carcinogenicity: No date available

Others:

Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Additional information	Based on available data, the classification criteria are not met

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Ningbo HATEK Co., Ltd.

Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China.

Tel: 86-574-55127888 www.HATEK.com.cn E-mail: info@HATEK.com.cn

Section 12 - Ecological Information

Toxicity: No information available

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility in soil: No information available

Results of PBT and vPvB assessment: Not PBT/vPvB

Section 13 - Disposal Considerations

Waste characteristics: Before disposal should refer to the relevant national and local laws and regulation.

Recommend the use of incineration disposal.

Waste disposal method: Follow federal, state and local department all provision about health and abandoned handling.

Waste Note: N/A

Section 14 - Transport Information

Transportation Note: Transport ago, examine containers is complete, seal or not, ensure that the container does not leak, does not collapse, and does not fall and no damage. Strictly prohibited with oxidants, food chemicals and other mixed loading mixed transportation. Conveyance must be thoroughly cleaned, disinfected, or not shipped with other goods.

IMDG-CODE: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.

ICAO/IATA-DG: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.

UN-ADR: NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.

Section 15 - Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture: N/A

Chemical Safety Assessment: N/A

Section 16 - Additional Information

References: N/A

Guidance Department: N/A

Data Audit Unit: N/A

Edit Description: N/A

Abbreviations and acronyms:

CAS - Chemical Abstracts Service

IARC - International Agency for Research on Cancer

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

IMDG - International Maritime Dangerous Goods

UN - The United Nations

Disclaimer:

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

This Material Safety Data Sheet (MSDS) was prepared according to REACH Regulation the data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

HATEK

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Ningbo HATEK Co., Ltd.

Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China.

Tel: 86-574-55127888 www.HATEK.com.cn E-mail: info@HATEK.com.cn