

Report No.: 158305623a 001

Page 1 of 29

Client: ONE FOR FUN LIMITED

Contact Information: 3-5 Cambuslang Way, Gateway Office Park, Cambuslang, Glasgow,
G32 8ND

Manufacturer's name: 609372

Test item(s): Toys

Identification/ SCRUNCHEMS FRUITY NEON SQUISH BEARS

Model No(s): Item no: 38585

Sample obtaining method: Sending by customer

Condition at delivery: Test item complete and undamaged.

Sample Receiving date: 2025-03-04

Testing Period: 2025-03-05 to 2025-03-14

Place of testing: -

Test Specification:

Safety Data Sheets (SDSs) for the sample based on submitted composition.

Test result:

Refer to result page

Other information:

As per request, the SDS is prepared in accordance with the EU REACH Regulation (EC) No 1907/2006 and CLP Regulation (EC) No. 1272/2008, and is provided per attached.
The SDS is prepared based on the information provided by the client.

For and on behalf of
TÜV Rheinland Hong Kong Ltd.

2025-03-14


Amenda Yung / Senior CS Manager

Date

Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.
This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.
"Decision Rule" document announced in our website (<https://www.tuv.com/landingpage/en/qm-gcn/>) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 3/11/2025 Revision date: 3/11/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : SCRUNCHEMS FRUITY NEON SQUISH BEARS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Toys

Uses advised against

Restrictions on use : No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Supplier

One For Fun Limited
3-5 Cambuslang Way, Gateway Office Park, Cambuslang, Glasgow
P G32 8ND
T +44 (0)1603 397147
Ben.woodcock@oneforfun.com

1.4. Emergency telephone number

Emergency number : +44(0) 1603 397147

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) : Not applicable.
Signal word (CLP) : Not applicable.
Hazard statements (CLP) : Not applicable.
Precautionary statements (CLP) : Not applicable.
EUH-statements : Not applicable.

2.3. Other hazards

Other hazards which do not result in classification : No information available.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name		Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water		CAS-No.: 7732-18-5 EC-No.: 231-791-2	92.9185	Not classified
Ethylene-vinyl acetate copolymer		CAS-No.: 24937-78-8 EC-No.: 429-840-1	0.3	Not classified
Polyvinyl alcohol		CAS-No.: 9002-89-5 EC-No.: 618-340-9	2	Not classified
Benzoic acid, 4-hydroxy-, methyl ester		CAS-No.: 99-76-3 EC-No.: 202-785-7	0.34	Aquatic Chronic 2, H411
1,2-Propanediol		CAS-No.: 57-55-6 EC-No.: 200-338-0	0.49	Not classified
3(2H)-Isothiazolone, 5-chloro-2-methyl-		CAS-No.: 26172-55-4 EC-No.: 247-500-7	0.0015	Not classified
Isobutane		CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0	0.5	Flam. Gas 1, H220 Press. Gas
2-Propenoic acid, 2-methyl-, methyl ester, polymer with 2-propenenitrile		CAS-No.: 30396-85-1	3.25	Not classified
Blueberry Scent	Diethyl phthalate	CAS-No.: 84-66-2 EC-No.: 201-550-6	0.2	Not classified
	Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	CAS-No.: 54464-57-2 EC-No.: 259-174-3		Not classified
	Benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7		Aquatic Chronic 3, H412
	Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7		Aquatic Acute 1, H400 Aquatic Chronic 1, H410
	2-Butanone, 4-(4-hydroxyphenyl)-	CAS-No.: 5471-51-2 EC-No.: 226-806-4		Not classified
	2-tert-Butylcyclohexyl acetate	CAS-No.: 88-41-5 EC-No.: 201-828-7		Not classified
	Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester	CAS-No.: 77-83-8 EC-No.: 201-061-8		Skin Sens. 1B, H317 Aquatic Chronic 2, H411
	Diphenyl oxide	CAS-No.: 101-84-8 EC-No.: 202-981-2		Eye Irrit. 2 H319 Repr. 1B H360Fd Aquatic Acute 1 H400 Aquatic Chronic 3 H412
	Benzaldehyde, 3-ethoxy-4-hydroxy-	CAS-No.: 121-32-4 EC-No.: 204-464-7		Eye Irrit. 2, H319
	Benzenemethanol, .alpha.-(trichloromethyl)-, acetate	CAS-No.: 90-17-5 EC-No.: 201-972-0		Aquatic Chronic 3, H412
	Isoamyl acetate	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2		Flam. Liq. 3, H226

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name		Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Strawberry Scent	Diethyl phthalate	CAS-No.: 84-66-2 EC-No.: 201-550-6	0.2	Not classified
	Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester	CAS-No.: 77-83-8 EC-No.: 201-061-8		Skin Sens. 1B, H317 Aquatic Chronic 2, H411
	Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester	CAS-No.: 24851-98-7 EC-No.: 246-495-9		Not classified
	3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-	CAS-No.: 14901-07-6 EC-No.: 238-969-9		Aquatic Chronic 2, H411
	Benzoic acid, 2-hydroxy-, hexyl ester	CAS-No.: 6259-76-3 EC-No.: 228-408-6 EC Index-No.: 607-772-00-3		Skin Sens. 1B, H317 Aquatic Chronic 1, H410
	Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7		Aquatic Acute 1, H400 Aquatic Chronic 1, H410
	2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333-34-002		Aquatic Chronic 3, H412
	Ethyl butyrate	CAS-No.: 105-54-4 EC-No.: 203-306-4		Flam. Liq. 3, H226 Eye Irrit. 2, H319
	n-Hexyl acetate	CAS-No.: 142-92-7 EC-No.: 205-572-7		Flam. Liq. 3, H226
	2-Butanone, 4-(4-hydroxyphenyl)-	CAS-No.: 5471-51-2 EC-No.: 226-806-4		Not classified
	Ethyl acetoacetate	CAS-No.: 141-97-9 EC-No.: 205-516-1		Not classified
Orange Scent	Diethyl phthalate	CAS-No.: 84-66-2 EC-No.: 201-550-6	0.2	Not classified
	Oils, lime	CAS-No.: 8008-26-2 EC-No.: 290-010-3;616-919-0		Not classified
	Lemon oil	CAS-No.: 8008-56-8 EC-No.: 616-925-3		Not classified
	Benzenemethanol, .alpha.-methyl-, acetate	CAS-No.: 93-92-5 EC-No.: 202-288-5		Not classified
	Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5		Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
	4,7-Methano-1H-inden-6-ol, 3a,4,5,6,7,7a-hexahydro-, acetate	CAS-No.: 5413-60-5 EC-No.: 226-501-6		Not classified
	Decanal	CAS-No.: 112-31-2 EC-No.: 203-957-4		Eye Irrit. 2, H319 Aquatic Chronic 3, H412
	Terpineol	CAS-No.: 8000-41-7 EC-No.: 232-268-1		Not classified

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name		Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
	Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4		Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
	Oils, orange, sweet	CAS-No.: 8008-57-9 EC-No.: 600-006-9		Not classified
Lemon scent	Diethyl phthalate	CAS-No.: 84-66-2 EC-No.: 201-550-6	0.2	Not classified
	Lemon oil	CAS-No.: 8008-56-8 EC-No.: 616-925-3		Not classified
	Oils, orange, sweet	CAS-No.: 8008-57-9 EC-No.: 600-006-9		Not classified
	Cyclohexanol, 4-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)-	CAS-No.: 66068-84-6 EC-No.: 266-100-3		Not classified
	Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7		Aquatic Acute 1, H400 Aquatic Chronic 1, H410
	Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4		Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
	Terpineol, acetate	CAS-No.: 8007-35-0 EC-No.: 232-357-5		Not classified
	Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2		Eye Irrit. 2, H319
	2,6-Octadien-1-ol, 3,7-dimethyl-, acetate, (Z)-	CAS-No.: 141-12-8 EC-No.: 205-459-2		Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Incompatible materials : No information available.
Packaging materials : Store always product in container of same material as original container.

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

SDS section 1.2.1 - Additional text.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

1,2-Propanediol (57-55-6)	
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	474 mg/m ³ (total vapor and particles) 10 mg/m ³ (particles)
	150 ppm
Ireland - Occupational Exposure Limits	
OEL TWA	10 mg/m ³ (particulate) 470 mg/m ³ (total vapour and particulates)
	150 ppm (total vapour and particulates)
OEL STEL	1410 mg/m ³ (calculated-particulates) 30 mg/m ³ (calculated)
	450 ppm (calculated-total vapor and particulates)
Latvia - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	7 mg/m ³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	100 mg/m ³ (vapor and inhalable fraction)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	474 mg/m ³ (total vapour and particulate) 10 mg/m ³ (particulate)
	150 ppm (total vapour and particulate)
WEL STEL (OEL STEL)	1422 mg/m ³ (calculated-total vapour and particulate) 30 mg/m ³ (calculated-particulate)
	450 ppm (calculated-total vapour and particulate)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	79 mg/m ³
	25 ppm
Korttidsverdi (OEL STEL)	118.5 mg/m ³ (value calculated)
	37.5 ppm (value calculated)
3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	0.05 mg/m ³
OEL chemical category	Skin sensitizer

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)	
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	0.2 mg/m ³ (inhalable dust (5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone)
KZGW (OEL STEL)	0.4 mg/m ³ (inhalable dust)
Diethyl phthalate (84-66-2)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	3 mg/m ³ (Phthalic acid ester)
MAK (OEL STEL)	5 mg/m ³ (Phthalic acid ester)
Belgium - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	5 mg/m ³
KGVI (OEL STEL)	10 mg/m ³
Denmark - Occupational Exposure Limits	
OEL TWA	3 mg/m ³
OEL STEL	6 mg/m ³
Estonia - Occupational Exposure Limits	
OEL TWA	3 mg/m ³
OEL STEL	5 mg/m ³
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	5 mg/m ³
HTP (OEL STEL)	10 mg/m ³
France - Occupational Exposure Limits	
VME (OEL TWA)	5 mg/m ³
Greece - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
OEL STEL	10 mg/m ³
Ireland - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
OEL STEL	10 mg/m ³
Latvia - Occupational Exposure Limits	
OEL TWA	0.5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	3 mg/m ³
TPRV (OEL STEL)	5 mg/m ³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	3 mg/m ³ (inhalable fraction)

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diethyl phthalate (84-66-2)	
Portugal - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	5 mg/m ³
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	3 mg/m ³ (same limit value expressed in mg/m ³ shall also be applied for those phthalates for which no limit values have been defined)
KGV (OEL STEL)	5 mg/m ³ (same limit value expressed in mg/m ³ shall also be applied for those phthalates for which no limit values have been defined)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	5 mg/m ³
WEL STEL (OEL STEL)	10 mg/m ³
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	3 mg/m ³
Korttidsverdi (OEL STEL)	6 mg/m ³ (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	5 mg/m ³ (inhalable dust)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	5 mg/m ³
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA	62 mg/m ³
	10 ppm
Denmark - Occupational Exposure Limits	
OEL TWA	61 mg/m ³
	10 ppm
OEL STEL	122 mg/m ³
	20 ppm
Ireland - Occupational Exposure Limits	
OEL TWA	10 ppm
OEL STEL	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m ³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA	10 ppm

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	50 mg/m ³
	8 ppm
OEL STEL	80 mg/m ³
	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	62 mg/m ³
	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Diphenyl oxide (101-84-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	7 mg/m ³
	1 ppm
IOEL STEL	14 mg/m ³
	2 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	7 mg/m ³
	1 ppm
MAK (OEL STEL)	14 mg/m ³
	2 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	7 mg/m ³ (vapor)
	1 ppm (vapor)
OEL STEL	14 mg/m ³ (vapor)
	2 ppm (vapor)
Bulgaria - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	7 mg/m ³
	1 ppm
KGVI (OEL STEL)	14 mg/m ³
	2 ppm

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diphenyl oxide (101-84-8)	
Cyprus - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	5 mg/m ³
Denmark - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	7 mg/m ³
	1 ppm
HTP (OEL STEL)	14 mg/m ³
	2 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	7 mg/m ³ (indicative limit)
	1 ppm (indicative limit)
VLE (OEL C/STEL)	14 mg/m ³ (indicative limit)
	2 ppm (indicative limit)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	7.1 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
Gibraltar - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	200 ppm
Greece - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diphenyl oxide (101-84-8)	
OEL STEL	14 mg/m ³
	2 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	7 mg/m ³
CK (OEL STEL)	14 mg/m ³
Ireland - Occupational Exposure Limits	
OEL TWA	7 mg/m ³ (vapour)
	1 ppm (vapour)
OEL STEL	14 mg/m ³ (vapor)
	2 ppm (vapor)
Italy - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	7 mg/m ³
	1 ppm
TPRV (OEL STEL)	14 mg/m ³
	2 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Malta - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	7 mg/m ³
	1 ppm
TGG-15min (OEL STEL)	14 mg/m ³
	2 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	7 mg/m ³
NDSCh (OEL STEL)	14 mg/m ³

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diphenyl oxide (101-84-8)	
Portugal - Occupational Exposure Limits	
OEL TWA	7 mg/m ³ (indicative limit value)
	1 ppm (indicative limit value-vapor)
OEL STEL	14 mg/m ³ (indicative limit value)
	2 ppm (indicative limit value-vapor)
Romania - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	7 mg/m ³
	1 ppm
NPHV (OEL C)	14 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	7 mg/m ³
	1 ppm
OEL STEL	14 mg/m ³
	2 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	7.1 mg/m ³ (vapor)
	1 ppm (vapor)
VLA-EC (OEL STEL)	14.2 mg/m ³ (vapor)
	2 ppm (vapor)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	7 mg/m ³
	1 ppm
KGV (OEL STEL)	14 mg/m ³
	2 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	7 mg/m ³
	1 ppm
WEL STEL (OEL STEL)	14 mg/m ³
	2 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	7 mg/m ³
	1 ppm
Korttidsverdi (OEL STEL)	14 mg/m ³ (value from the regulation)
	2 ppm (value from the regulation)

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diphenyl oxide (101-84-8)	
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	7 mg/m ³ (aerosol, vapour)
	1 ppm (aerosol, vapour)
KZGW (OEL STEL)	14 mg/m ³ (aerosol, vapour)
	2 ppm (aerosol, vapour)
OEL chemical category	Category 2 reproductive toxin
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 ppm (vapor)
ACGIH OEL STEL	2 ppm (vapor fraction)
Isoamyl acetate (123-92-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	270 mg/m ³
	50 ppm
IOEL STEL	540 mg/m ³
	100 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	270 mg/m ³ (Pentyl acetate (all isomers))
	50 ppm (Pentyl acetate (all isomers))
MAK (OEL STEL)	540 mg/m ³ (Pentylacetate)
	100 ppm (Pentylacetate)
Belgium - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	270 mg/m ³
	50 ppm
KGV I (OEL STEL)	540 mg/m ³
	100 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isoamyl acetate (123-92-2)	
	100 ppm
Denmark - Occupational Exposure Limits	
OEL TWA	271 mg/m ³ (Amyl acetate, all isomers)
	50 ppm (Amyl acetate, all isomers)
OEL STEL	540 mg/m ³
	100 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	270 mg/m ³ (Pentyl acetate)
	50 ppm (Pentyl acetate)
HTP (OEL STEL)	540 mg/m ³
	100 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	270 mg/m ³ (restrictive limit)
	50 ppm (restrictive limit)
VLE (OEL C/STEL)	540 mg/m ³ (restrictive limit)
	100 ppm (restrictive limit)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	270 mg/m ³
	50 ppm
Gibraltar - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Greece - Occupational Exposure Limits	
OEL TWA	530 mg/m ³
	100 ppm
OEL STEL	800 mg/m ³
	150 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	270 mg/m ³
CK (OEL STEL)	540 mg/m ³
Ireland - Occupational Exposure Limits	
OEL TWA	260 mg/m ³

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isoamyl acetate (123-92-2)	
	50 ppm
OEL STEL	520 mg/m ³
	100 ppm
Italy - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	270 mg/m ³
	50 ppm
TPRV (OEL STEL)	540 mg/m ³
	100 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Malta - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Netherlands - Occupational Exposure Limits	
TGG-15min (OEL STEL)	530 mg/m ³
	98.1 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	250 mg/m ³
NDSch (OEL STEL)	500 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA	270 mg/m ³ (indicative limit value)
	50 ppm (indicative limit value (Pentyl acetate, all isomers))
OEL STEL	540 mg/m ³ (indicative limit value)
	100 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	270 mg/m ³

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isoamyl acetate (123-92-2)	
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	270 mg/m ³
	50 ppm
NPHV (OEL C)	540 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	270 mg/m ³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	270 mg/m ³ (indicative limit value)
	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	540 mg/m ³
	100 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	270 mg/m ³ (Pentyl acetates)
	50 ppm (Pentyl acetates)
KGV (OEL STEL)	540 mg/m ³ (Pentyl acetates)
	100 ppm (Pentyl acetates)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	260 mg/m ³
	50 ppm
Korttidsverdi (OEL STEL)	325 mg/m ³ (value calculated)
	75 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	260 mg/m ³ (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
KZGW (OEL STEL)	260 mg/m ³ (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)
Isobutane (75-28-5)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	1900 mg/m ³ (Butane (all isomers))
	800 ppm (Butane (all isomers))

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isobutane (75-28-5)	
MAK (OEL STEL)	3800 mg/m ³ (Butane both isomers)
	1600 ppm (Butane both isomers)
Belgium - Occupational Exposure Limits	
OEL STEL	2370 mg/m ³
	980 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	1900 mg/m ³
	800 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	1900 mg/m ³ (suffocating gas that displaces oxygen (Butane))
	800 ppm (suffocating gas that displaces oxygen (Butane))
HTP (OEL STEL)	2400 mg/m ³ (Butane)
	1000 ppm (Butane)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA)	2400 mg/m ³
	1000 ppm
Portugal - Occupational Exposure Limits	
OEL STEL	1000 ppm
Slovenia - Occupational Exposure Limits	
OEL TWA	2400 mg/m ³
	1000 ppm
OEL STEL	9600 mg/m ³
	4000 ppm
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	1900 mg/m ³ (including Butane (all isomers))
	800 ppm (including Butane (all isomers))
KZGW (OEL STEL)	7600 mg/m ³ (Butane both isomers)
	3200 ppm (Butane both isomers)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL STEL	1000 ppm (explosion hazard (Butane, isomers))
Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m ³
	19 ppm
OEL STEL	200 mg/m ³
	38 ppm

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Multi-colorful.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not available

9.2. Other information

No additional information available

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

1,2-Propanediol (57-55-6)

LD50 oral rat	20 g/kg
LD50 oral	> 2000 mg/kg

Diethyl phthalate (84-66-2)

LD50 oral rat	5591 mg/kg
LD50 dermal rat	11181 mg/kg
LC50 Inhalation - Rat	> 4.64 mg/l

Benzyl acetate (140-11-4)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat	> 0.766 mg/l/4h

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- (1222-05-5)

LD50 oral rat	> 3000 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
LC50 Inhalation - Rat	> 5.04 mg/l/4h

2-Butanone, 4-(4-hydroxyphenyl)- (5471-51-2)

LD50 oral rat	1320 mg/kg
---------------	------------

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)

LD50 oral rat	5470 mg/kg
---------------	------------

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)	
LD50 dermal rat	> 2000 mg/kg
Diphenyl oxide (101-84-8)	
LD50 oral rat	2830 mg/kg
LD50 dermal rabbit	> 7940 mg/kg
Benzaldehyde, 3-ethoxy-4-hydroxy- (121-32-4)	
LD50 oral rat	> 3160 mg/kg
LD50 dermal rat	> 2000 mg/kg
Benzenemethanol, .alpha.-(trichloromethyl)-, acetate (90-17-5)	
LD50 oral rat	5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l
Isobutane (75-28-5)	
LC50 Inhalation - Rat	504,961 mg/m3
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 4.96 mg/l/4h
3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)- (14901-07-6)	
LD50 oral rat	4590 mg/kg
Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Ethyl butyrate (105-54-4)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
n-Hexyl acetate (142-92-7)	
LD50 oral rat	41.5 g/kg
LD50 dermal rabbit	> 5 g/kg
Ethyl acetoacetate (141-97-9)	
LD50 oral rat	10800 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Benzenemethanol, .alpha.-methyl-, acetate (93-92-5)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 8 ml/kg

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg
Decanal (112-31-2)	
LD50 oral rat	> 33320 mg/kg
LD50 dermal rabbit	5040 mg/kg
Allyl caproate (123-68-2)	
LD50 oral rat	218 mg/kg
LD50 dermal rabbit	820 mg/kg
Cyclohexanol, 4-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)- (66068-84-6)	
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5.27 mg/l/4h
Linalyl acetate (115-95-7)	
LD50 oral rat	> 9000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Vanillin (121-33-5)	
LD50 oral rat	3978 mg/kg
LD50 dermal rabbit	> 5010 mg/kg
2,6-Octadien-1-ol, 3,7-dimethyl-, acetate, (Z)- (141-12-8)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5 g/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Polyvinyl alcohol (9002-89-5)	
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Benzoic acid, 4-hydroxy-, methyl ester (99-76-3)

EC50 - Crustacea [1]	59.5 mg/l
NOEC (48 h)	50 mg/l

Diethyl phthalate (84-66-2)

LC50 - Fish [1]	12 mg/l
EC50 - Crustacea [1]	90 mg/l
NOEC 28 d	5 mg/l

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)

LC50 - Fish [1]	4.2 mg/l
-----------------	----------

Diphenyl oxide (101-84-8)

LC50 - Fish [1]	4.2 mg/l
EC50 - Crustacea [1]	1.96 mg/l

Benzaldehyde, 3-ethoxy-4-hydroxy- (121-32-4)

LC50 - Fish [1]	87.6 mg/l
EC50 - Crustacea [1]	26.2 mg/l

Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)

LC50 - Fish [1]	18.2 mg/l
-----------------	-----------

2(3H)-Furanone, 5-heptyldihydro- (104-67-6)

EC50 - Crustacea [1]	5.85 mg/l
----------------------	-----------

n-Hexyl acetate (142-92-7)

LC50 - Fish [1]	4.4 mg/l
-----------------	----------

Ethyl acetoacetate (141-97-9)

LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l

Benzenemethanol, .alpha.-methyl-, acetate (93-92-5)

LC50 - Fish [1]	18.3 mg/l
-----------------	-----------

Decanal (112-31-2)

LC50 - Fish [1]	1.45 mg/l
-----------------	-----------

Allyl caproate (123-68-2)

LC50 - Fish [1]	0.117 mg/l
-----------------	------------

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l
Vanillin (121-33-5)	
LC50 - Fish [1]	83.7 mg/l
NOEC - 21d	5.9 mg/L
12.2. Persistence and degradability	
SCRUNCHEMS FRUITY NEON SQUISH BEARS	
Persistence and degradability	No additional information available
12.3. Bioaccumulative potential	
Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38
1,2-Propanediol (57-55-6)	
Partition coefficient n-octanol/water (Log Pow)	-1.07 (at 20.5 °C (at pH >=6.2-<=6.4)
Diethyl phthalate (84-66-2)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 40 °C (at pH 7.5)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C)
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- (1222-05-5)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C)
2-Butanone, 4-(4-hydroxyphenyl)- (5471-51-2)	
Partition coefficient n-octanol/water (Log Pow)	0.935
Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2.8 (at 25 °C)
Diphenyl oxide (101-84-8)	
Partition coefficient n-octanol/water (Log Pow)	4.21 (at 25 °C)
Benzaldehyde, 3-ethoxy-4-hydroxy- (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.58 (at 25 °C)
Benzenemethanol, .alpha.-(trichloromethyl)-, acetate (90-17-5)	
Partition coefficient n-octanol/water (Log Pow)	3.535 (at 25 °C)
Isoamyl acetate (123-92-2)	
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)
Isobutane (75-28-5)	
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (at 20 °C)
Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7)	
Partition coefficient n-octanol/water (Log Pow)	2.93 (at 22 °C)

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3-Buten-2-one, 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)- (14901-07-6)	
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)
Benzoic acid, 2-hydroxy-, hexyl ester (6259-76-3)	
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C)
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)
Ethyl butyrate (105-54-4)	
Partition coefficient n-octanol/water (Log Pow)	2.433 (at 25 °C)
n-Hexyl acetate (142-92-7)	
Partition coefficient n-octanol/water (Log Pow)	3.3 (at 30 °C)
Ethyl acetoacetate (141-97-9)	
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)
Benzenemethanol, .alpha.-methyl-, acetate (93-92-5)	
Partition coefficient n-octanol/water (Log Pow)	2.5
Geranyl acetate (105-87-3)	
Partition coefficient n-octanol/water (Log Pow)	4.04
4,7-Methano-1H-inden-6-ol, 3a,4,5,6,7,7a-hexahydro-, acetate (5413-60-5)	
Partition coefficient n-octanol/water (Log Pow)	0.924 (at 35 °C)
Decanal (112-31-2)	
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C)
Allyl caproate (123-68-2)	
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (at 25 °C)
2,6-Octadien-1-ol, 3,7-dimethyl-, acetate, (Z)- (141-12-8)	
Partition coefficient n-octanol/water (Log Pow)	3.98 (at 37 °C (at pH 7.2)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

SCRUNCHEMS FRUITY NEON SQUISH BEARS
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

Additional information

: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Data sources : ECHA reference. LOLI.
Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information : No information available.

Full text of H- and EUH-statements:	
H220	Extremely flammable gas.
H226	Flammable liquid and vapour.
H300	Fatal if swallowed.
H301	Toxic if swallowed.

SCRUNCHEMS FRUITY NEON SQUISH BEARS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
	Not applicable

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

General Terms and Conditions of Business of TÜV Rheinland in Greater China

1. **Scope**
- 1.1 These General Terms and Conditions of Business of TÜV Rheinland in Greater China ("GTCB") is made between one or more members and one or more clients of TÜV Rheinland in Greater China as applicable as the case may be ("TÜV Rheinland"). The Greater China hereof refers to the regions within the territories of China. The client hereof includes:
- (i) a natural person capable to form legally binding contracts under the applicable laws who concludes the contract for the purpose of the daily use;
- (ii) the incorporated or unincorporated entity duly organized, validly existing and capable to form legally binding contracts under the applicable law.
- 1.2 The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance.
- 1.3 Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.
- 1.4 In the context of an ongoing business relationship with the client, this GTCB shall also apply to future contracts with the client without TÜV Rheinland having to refer to them separately in each individual case.
2. **Quotations**
- Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.
3. **Coming into effect and duration of contracts**
- 3.1 The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the request requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested services.
- 3.2 The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.
- 3.3 If the contract provides for an extension of the contract term, the contract term will be extended by the term provided in the contract where such extension is written in writing by both parties with a three-month notice prior to the end of the contractual term.
4. **Scope of services**
- 4.1 The scope and type of the services to be provided by TÜV Rheinland shall be specified in the contractually agreed service scope of TÜV Rheinland by both parties. If no such separate service scope of TÜV Rheinland exists, then the written confirmation of order by TÜV Rheinland shall be decisive for the service to be provided. Unless otherwise agreed, services beyond the scope of the service description (e.g. checking the construction and function of parts, products, processes, installations, organizations not listed in the service description, as well as the intended use and application of such) are not owed. In particular, no responsibility is assumed for the design, selection of materials, construction or intended use of an examined part, product, process or plant, unless this is expressly stated in the order.
- 4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.
- 4.3 TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.
- 4.4 On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole or of upstream and/or downstream processes, organizations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TÜV Rheinland shall assume no responsibility for the construction, selection of materials and assembly of installations examined by TÜV Rheinland, unless such responsibility, with regulations, unless these questions are expressly covered by the contract.
- 4.5 In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.
- 4.6 If mandatory legal regulations and standards or official requirements for the agreed service scope change after conclusion of the contract, with a written notice to the client, TÜV Rheinland shall be entitled to additional remuneration for resulting additional expenses.
- 4.7 The services to be provided by TÜV Rheinland under the contract are agreed exclusively with the client. A contract of third parties with the services of TÜV Rheinland, as well as making available of and justifying confidence in the work results (test reports, test results, expert reports, etc.) are not part of the agreed services. This also applies if the client passes on work results - in full or in extracts - to third parties in accordance with clause 11.4.
- 4.8 The client understands and agrees to perform the contract with TÜV Rheinland, the client may need to sign one or more contracts/agreements with all/more third party(ies) and establish legal relationships with those third party(ies) according to such contractual agreements. TÜV Rheinland hereby warns the client of the corresponding legal liability according to this contract and the direct services actually to be provided by our company in the service process. If the relevant services are not directly provided by TÜV Rheinland (including but not limited to any testing and inspection services to be provided by third parties, test and inspection services, etc.), TÜV Rheinland will provide the client as agent for such relevant services. In order to achieve the purpose of the contract, the client hereby agrees that TÜV Rheinland (including but not limited to a third party) to partly undertake or to have its employees or subcontractors bear and responsibility and/or risk for any services to be provided by any third parties (including but not limited to the testing and/or certification services to be entrusted and/or applied for by our company on behalf of the client or other testing and/or certification bodies, agency services provided by any other third party(ies), etc.). Besides, the client shall be liable in accordance with the relevant laws and regulations and/or the terms under the contract. If the client is required to assume any annual renewal/validity of the relevant services, TÜV Rheinland shall be responsible and pay additional fees in accordance with the relevant laws and regulations or the testing and certification rules, such fees are not within the scope of the contract price, the client shall timely fulfill the obligation to assume the relevant fees. If the client does not do so in time and, if the client fails to perform such obligations of the annual renewal/succession or fees payment, it may lead to adverse consequences such as failure of the supervision/cancellation/invalidity of testing and/or certification results, which shall not be borne by TÜV Rheinland, but by the client.
- 4.9 For the service contract agreed in the contract, if the client requires TÜV Rheinland to deliver relevant test samples, data, etc. to any overseas laboratory or other places or sites to be designated by the client, TÜV Rheinland shall not take any responsibility for any delays, losses and/or problems during such delivery and the transportation process (including but not limited to any loss or damages of the samples and/or the materials, etc.). Besides, the relevant freight fees shall be borne by the client.
5. **Performance period/dates**
- 5.1 The contractually agreed period/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being consistent as binding by TÜV Rheinland in writing.
- 5.2 If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.
- 5.3 Articles 5.1 and 5.2 also apply, even without express agreement by the client, to all extensions of agreed period/dates of performance not caused by TÜV Rheinland.
- 5.4 TÜV Rheinland is not responsible for a delay in performance, in particular if the client has not fulfilled his obligations in accordance with clause 5.1 and 5.2. If the client does not do so in time and, in particular, has not provided TÜV Rheinland with all documents and information required for the performance of the service as specified in the contract.
- 5.5 If the performance of TÜV Rheinland is delayed due to unforeseeable circumstances such as force majeure, strikes, business disruptions, governmental regulations, transport obstacles, etc., TÜV Rheinland is entitled to postpone performance for a reasonable period of time which corresponds at least to the duration of the hindrance plus any time period which may be required to resume performance.
- 5.6 If the client is obliged to comply with legal, officially prescribed and/or by the accreditator prescribed deadlines, it is the client's responsibility to ensure that the agreed deadlines of TÜV Rheinland, which enable the client to comply with the legal and/or officially prescribed deadlines. TÜV Rheinland assumes no responsibility in this respect unless TÜV Rheinland expressly agreed in writing specifically stating that ensuring the deadlines is the contractual obligation of TÜV Rheinland.
6. **The client's obligation to cooperate**
- 6.1 The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to TÜV Rheinland.
- 6.2 Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions. And the client represents and warrants that:
- a) it has required statutory qualifications;
- b) the product, service or management system to be certified complies with applicable laws and regulations; and
- c) it doesn't have any legal and dishonest behaviours or is not included in the list of Enterprises with Serious Illegal and Dishonest Acts of People's Republic of China.
- If the client breaches the aforesaid representations and warranties, TÜV Rheinland is entitled to i) immediately terminate the contract/order without prior notice; and ii) withdraw the issued testing report/certificates if any.
- 6.3 The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed, TÜV Rheinland shall be entitled to charge extra fees for such additional expense.
7. **Prices**
- 7.1 If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be based on the price list of TÜV Rheinland valid at the time of performance.
- 7.2 Unless otherwise agreed, work orders shall be issued by the client in writing.
- 7.3 If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds €2,500.00 or equivalent value in local currency, TÜV Rheinland may demand payments on account or in instalments.
8. **Payment terms**
- 8.1 All invoice amounts shall be due for payment within 30 days of the invoice date without deduction on receipt of the invoice. No discounts and rebates shall be granted.
- 8.2 Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and client numbers.
- 8.3 In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term interest rate publicly announced by a reputable commercial bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.
- 8.4 Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.
- 8.5 The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.
- 8.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.

- 8.7 TÜV Rheinland shall be entitled to demand appropriate advance payments.
- 8.8 TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees is to take effect (period of notice of changes in fees). If the rise in fees is less than 5% per contractual year, the client shall not have the right to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the rise in fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.
- 8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland.
- 8.10 TÜV Rheinland shall have the right at all times to set off any amount due or payable by the client, including but not limited to set off any amount due or payable by the client under any contracts, agreements and/or order/undertakings reached with TÜV Rheinland.
9. **Acceptance of work**
- 9.1 Any part of the work result ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.
- 9.2 If acceptance is required or contractually agreed in an individual case, this shall be deemed to have taken place two (2) weeks after completion and handover of the work, unless the client refuses acceptance within this period stating at least one fundamental breach of contract by TÜV Rheinland.
- 9.3 The client is not entitled to refuse acceptance due to insignificant breach of contract by TÜV Rheinland.
- 9.4 If acceptance is excluded according to the nature of the work performance of TÜV Rheinland, the completion of the work shall take its place.
- 9.5 During the Follow-up/Audit stage, if the client was unable to make use of the time windows provided for within the scope of a certification procedure for auditing performance by TÜV Rheinland and the certificate is therefore to be withdrawn (e.g. performance of surveillance audits), or if the client refuses or postpones a confirmed audit date by TÜV Rheinland, TÜV Rheinland is, in its sole discretion, entitled to immediately charge a lump-sum compensation of 10% of the order amount as compensation for expenses. The client reserves the right to prove that the TÜV Rheinland has incurred no damage whatsoever or only a considerably lower damage than the above lump sum.
- 9.6 Insofar as the client has undertaken in the contract to accept services, TÜV Rheinland shall also be entitled to charge the above-sum damages in the event of a withdrawal of the order. The compensation for expenses if the service is not called within one year after the order has been placed. The client reserves the right to prove that the TÜV Rheinland has incurred no damage whatsoever or only a considerably lower damage than the above mentioned lump sum.
10. **Confidentiality**
- 10.1 For the purpose of these terms and conditions, "confidential information" means all know-how, trade secrets, documents, images, drawings, expertise, information, data, test results, reports, samples, project documents, pricing and financial information, customer and supplier information, and marketing techniques and applications, including but not limited to the following:
- (i) information disclosed by one Party (the "disclosing party") to the other Party (the "receiving party"), in writing or orally, in printed or electronic form. Confidential information is expressly not the data and know-how not disclosed or transmitted or transferred by TÜV Rheinland to the client, and not proprietary to the client within the scope of the provision of services by TÜV Rheinland. TÜV Rheinland is entitled to store, use, further develop and pass on the data obtained in connection with the provision of services for the purposes of developing new services, improving services and analysing the provision of services.
- 10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information transmitted by e-mail. If confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within five working days of oral disclosure. Where the disclosing party does not do so in writing within this period, the receiving party shall not take any confidentiality obligations hereunder towards such information. The client shall avoid using any third party platform and/or system (e.g., Wechat, etc. Unauthorized by TÜV Rheinland) to send any confidential information to the client. The client shall send any confidential information to company email of TÜV Rheinland employees through its company email. If the client suffers from any losses or damages due to any theft or leakage to be caused by the adoption of and/or the use of the disclosing party's testing methods mentioned above, TÜV Rheinland shall be waived for any compensation liabilities.
- 10.3 All confidential information which the disclosing party transmits or otherwise discloses to the receiving party and which is created during performance of the contract by TÜV Rheinland, may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party.
- a) The client may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, official control, accreditation bodies or third parties (including but not limited to the relevant direct and/or indirect proposed purchasers, vehicle manufacturers/whole equipment manufacturers, test standards or test requirements providers of the client's test products and/or certified products, etc.).
- b) The client may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, official control, accreditation bodies or third parties (including but not limited to the relevant direct and/or indirect proposed purchasers, vehicle manufacturers/whole equipment manufacturers, test standards or test requirements providers of the client's test products and/or certified products, etc.).
- c) The client may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, official control, accreditation bodies or third parties (including but not limited to the relevant direct and/or indirect proposed purchasers, vehicle manufacturers/whole equipment manufacturers, test standards or test requirements providers of the client's test products and/or certified products, etc.).
- 10.4 The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party shall ensure that its employees to observe the same level of secrecy as set forth in this confidentiality clause.
- 10.5 Information for which the receiving party can furnish proof that:
- a) it was generally known at the time of disclosure or has become general knowledge without the disclosure of confidential information by the disclosing party;
- b) it was disclosed to the receiving party by a third party entitled to disclose this information; or
- c) the receiving party already possessed this information prior to disclosure by the disclosing party, or
- d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" within the confidentiality clause.
- 10.6 All confidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and (ii) on request by the disclosing party, to destroy all confidential information, including all copies, and to confirm the destruction of the confidential information to the disclosing party in writing, at any time if so requested by the disclosing party but at the latest and without special request after termination or expiry of the contract. This does not include reports and certificates prepared for the client for the purpose of fulfilling the obligations under the contract, which shall remain with the client. However, TÜV Rheinland is entitled to make file copies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to be able to fulfil its obligations under the contract. The client understands and agrees that the preparation of such reports and certificates is a general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.
- 10.7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and shall not disclose this information to any third parties or use it for itself.
11. **Copyrights and rights of use, publications**
- 11.1 TÜV Rheinland shall retain all exclusive copyrights in the reports, expert reports/opinions, test reports/results, results, calculations, presentations, etc. prepared by TÜV Rheinland, unless expressly agreed by the parties in a separate agreement. As the owner of the copyrights, TÜV Rheinland is free to grant others the right to use the work results for individual or all types of use ("right of use").
- 11.2 The right of use is a simple, unlimited, non-transferable, non-sublicensable right of use to the contents of the work results produced within the scope of the contract, unless otherwise agreed by the parties in a separate agreement. The client may only use such reports, expert reports/opinions, test reports/results, results, calculations, etc. prepared within the scope of the contract for the contractually agreed purpose.
- 11.3 The transfer of right of use of the generated work results regulated in clause 11.2 of the GTCB is subject to full payment of the remuneration for the work results by the client.
- 11.4 The client may use work results only complete and unshortened. The client may only pass on the work results in full unless TÜV Rheinland has given its prior written consent to the partial passing on of work results.
- 11.5 Any publication or duplication of the work results for advertising purposes or any further use of the work results beyond the scope regulated in clause 11.2, and any quotation of the introduction of TÜV Rheinland results by the prior written approval of TÜV Rheinland in each individual case. Besides, the client ensures that the aforesaid use shall comply with relevant applicable laws, regulations and relevant rules (including but not limited to specific applicable testing and certification rules, etc.).
- 11.6 TÜV Rheinland may revoke a once given approval according to clause 11.5 at any time without stating reasons. In this case, the client is obliged to stop the transfer of the work results immediately at his own expense and, as far as possible, to ensure that the work results are not further used.
- 11.7 The consent of TÜV Rheinland to publication or duplication of the work results does not entitle the client to use the corporate logo, corporate design or testification mark of TÜV Rheinland.
12. **Liability of TÜV Rheinland**
- 12.1 Irrespective of the legal basis, to the fullest extent permitted by applicable law, in the event of a breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract for an annually recurring services, the agreed annual fee; (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euro or equivalent amount in local currency; and (iv) in the case of a framework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwithstanding the above, in the event that the total and accumulated liability calculated according to the foregoing provisions exceeds 25 Million Euro or equivalent amount in local currency, the total and accumulated liability of TÜV Rheinland shall be only limited to and shall not exceed the said 25 Million Euro or equivalent amount in local currency.
- 12.2 The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by malice, intent or gross negligence on the part of TÜV Rheinland or its vicarious agents. Such limitation shall not apply to damages for a person's death, the total injury or illness.
- 12.3 In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a fundamental breach is a breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseeable damages), unless any of the circumstances described in article 12.2 applies.
- 12.4 TÜV Rheinland shall not be liable for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of the services or the acts of the personnel of such personnel made available as regarded as vicarious agent of TÜV Rheinland. If TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnify TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel's acts.
- 12.5 Unless otherwise contractually agreed in writing, TÜV Rheinland shall only be liable under the contract for damages caused by the personnel of TÜV Rheinland.
- 12.6 The limitation periods for claims for damages shall be based on statutory provisions.
- 12.7 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the client.
13. **Export control**
- 13.1 When passing on the services provided by TÜV Rheinland or parts thereof to third parties in Greater China or other regions, the client must comply with the respectively applicable regulations of national and international export control laws.
- 13.2 The performance of a contract with the client is subject to the proviso that there are no obstacles to performance due to national or international foreign trade legislations or embargos and/or

- sanctions. In the event of a violation, TÜV Rheinland is entitled to terminate the contract with immediate effect and the client shall compensate for the losses incurred thereof by TÜV Rheinland.
14. **Data protection notice**
- The client understands and agrees that TÜV Rheinland processes personal data (including but not limited to personal information) of the client and its related parties (including but not limited to the supplier of the client) for the purpose of fulfilling this contract. The client confirms that it has obtained the prior consent of the data subject, which entitles TÜV Rheinland to access, use, or process the personal data that the client collected or processed by itself and transferred to TÜV Rheinland. For certain services, we may also process sensitive personal data. TÜV Rheinland will use and process the data in accordance with the relevant legal basis. If any personal data has been disclosed or transferred to any third party or any overseas party outside of the district in which the personal data was collected, the client must confirm that it has obtained the prior consent of the data subject. TÜV Rheinland will carry out cross-border data transmission and protect the data in compliance with the privacy and personal data security related laws and regulations in China and the local country. TÜV Rheinland will take measures to avoid any leakage, abuse, manipulation, damage or unauthorized access of personal data. The personal data will be deleted immediately as soon as a corresponding reason for deletion arises. Data subjects may exercise the following rights: right of information, right of decision, right of rectification, right of deletion, right of processing limitation, right of objection, right of data transferability. In addition, persons concerned by the data processing have the right to revoke their consent at any time with effect for the future, as well as the right to file a complaint with the competent data protection supervisory authority. For further details on the processing of personal data by TÜV Rheinland as the person responsible or contract processor, please refer to the respective data protection information. You can contact the Group Data Protection Officer of TÜV Rheinland by e-mail at dataprotection@tuv.com or by post at the following address: TÜV Rheinland AG, c/o Group Data Protection Officer, Am Grauen Stein, 51105 Cologne, Germany.
15. **Retention of test material and documentation**
- 15.1 The test samples submitted by the client to TÜV Rheinland for testing will be scrapped following testing or will be returned to the client at the client's expense. The only exceptions are test samples, which are placed in storage on the basis of statutory regulations or of another agreement with the client.
- 15.2 Charges apply if the test samples are stored at the premises of TÜV Rheinland. The cost of placing a test sample into storage will be disclosed to the client in the quotation.
- 15.3 Reference samples or documentation are given to the client and shall be placed in storage at their premises, the reference samples or documents must be made available to TÜV Rheinland upon request promptly and free of charge. If the client, in response to such a request, is incapable of making or providing the reference samples or documents, any liability claims for material and pecuniary damage resulting from the respective testing and certification that is brought forward by the client against TÜV Rheinland shall be voided.
- 15.4 The retention period for the documentation shall be determined by the expiry of the test mark certificates or shall meet the applicable legal requirements for EU/EEA certificates of conformity and GS mark certificates.
- 15.5 The client is responsible for the handling and dispatch of the test samples for storage on the client's premises are borne by the client. TÜV Rheinland will be liable for the loss of test samples or reference samples from the laboratories or warehouses of TÜV Rheinland only in case of gross negligence.
16. **Termination of the contract**
- 16.1 Notwithstanding clause 3.3 of the GTCB, TÜV Rheinland and the client are entitled to terminate the contract in its entirety or, in the case of services contracted in one contract, each of the combined parts of the contract individually and independently of the continuation of the remaining services with six (6) months' notice to the end of the contractually agreed term. The notice period shall be shortened to six (6) weeks in case of TÜV Rheinland is prevented from performing the services due to a loss or suspension of its accreditation or notification.
- For good causes, TÜV Rheinland may consider giving a written notice to the client to terminate the contract without bearing any liabilities and the client shall pay the relevant service fees for the services provided by TÜV Rheinland due to the termination date of the contract. The aforesaid good causes includes but not limited to the following:
- a) the client does not immediately notify TÜV Rheinland of any material changes in the conditions within which the client is relevant for certification or signs of such changes;
- b) the client misuses the certificate or certification mark or uses it in violation of the contract;
- c) in the event of several consecutive delays in payment (at least three times);
- d) a substantial deterioration of the financial circumstances of the client occurs and as a result the payment claims of TÜV Rheinland under the contract are considerably endangered and TÜV Rheinland cannot reasonably be expected to continue the contractual relationship;
- e) in the event of any serious misrepresentation, be it by intentional fraud or grossly negligent behavior of the managers, employees or agents of the client;
- f) if TÜV Rheinland, at its discretion, considers beyond a reasonable doubt that the client intends to continue or finalize the performance of the service, e.g. in case of force majeure, government interference, sanctions, loss of accreditation or notification, or other.
- If the country/region involved in the contract is subject to a service project in the contract does not belong to the insurance coverage applicable to TÜV Rheinland, and TÜV Rheinland believes that there is a risk or some risks beyond its control to continue to perform the contract.
- 16.2 In the event of termination with written notice by TÜV Rheinland for good cause, TÜV Rheinland shall be entitled to a lump-sum claim for damages against the client if the conditions of a claim for damages exist. In this case, the client shall owe 15% of the remuneration to be paid until the end of the fixed contract term. In the event of termination with written notice by the client, there is no damage or a considerably lower damage, TÜV Rheinland reserves the right to prove a considerably higher damage in individual cases.
- 16.3 In the event of termination with written notice by the client with written notice if the client has not been able to make use of the time windows for auditing /service provision provided by TÜV Rheinland within the scope of a certification procedure and the certificate therefore has to be withdrawn (for example during the performance of monitoring audits), clause 16.3 applies accordingly.
17. **Force Majeure**
- 17.1 "Force Majeure" means the occurrence of an event or circumstance that prevents or impedes a Party from performing one or more of its contractual obligations under the contract, if and to the extent that that Party proves: (a) that such impediment is beyond its reasonable control; and (b) that it could not reasonably have been prevented or overcome by the Party. The event or circumstance that the effects of the impediment could not reasonably have been avoided or overcome by the affected Party.
- 17.2 In the absence of proof to the contrary, the following events affecting a Party shall be presumed to fulfill conditions (a) and (b) under paragraph 1 of this Clause: (i) war (whether declared or not), hostilities, invasion, act of foreign enemies, extensive military mobilization; (ii) civil war, riot, rebellion and related disturbances; (iii) epidemic, natural disaster or extreme natural event; (iv) piracy; (v) currency and trade restriction, embargo, sanction; (vi) act of authority whether lawful or unlawful, compliance with any law or governmental order, expropriation, seizure of works, equipment, nationalization; (vii) plague, epidemic, natural disaster or extreme natural event; (viii) explosion, fire, destruction of equipment, prolonged breakdown of transport, telecommunication, information system or energy; (ix) general labor disturbance such as boycott, strike and lock-out; or (x) slow, occupation of factories and premises.
- 17.3 The Party successfully invoking this Clause is relieved from its duty to perform its obligations under the contract and from any liability in damages or from any other contractual remedy for breach of contract at the time at which the impediment or its consequences began to perform, provided that the notice thereof is given without delay. If notice thereof is not given without delay, the relief is effective from the time at which notice thereof reaches the other Party. Where the effect of the impediment or its consequences is temporary, the above conditions shall apply only as long as the impediment involved impedes performance by the affected Party. Where the duration of the impediment involved has the effect of substantially depriving the contracting Parties of what they were reasonably entitled to expect under the contract, either Party has the right to terminate the contract by notification within a reasonable period to the other Party. Unless otherwise agreed, the Parties expressly agree that the contract may be terminated by either Party if the duration of the impediment exceeds 120 days.
18. **Hardship**
- 18.1 The Parties are bound to perform their contractual duties even if events have rendered performance more onerous than could reasonably have been anticipated at the time of the conclusion of the contract.
- 18.2 Notwithstanding paragraph 1 of this Clause, where a Party proves that:
- (a) the continued performance of its contractual duties has become excessively onerous due to an event beyond its reasonable control which it could not reasonably have been expected to have taken into account at the time of the conclusion of the contract; and
- (b) it could not reasonably have avoided or overcome the event or its consequences, the Parties are bound, within a reasonable time of the invocation of this Clause, to negotiate alternative contractual terms which reasonably allow to overcome the consequences of the event.
- 18.3 Where Clause 18.2 applies, but where the Parties have been unable to agree to alternative contractual terms as provided in that paragraph, the Party invoking this Clause is entitled to terminate the contract, but cannot request adaptation by the judge or arbitrator without the agreement of the other Party.
19. **Partial invalidity, written form, place of jurisdiction and dispute resolution**
- 19.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 19.1.
- 19.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.
- Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be the law of the People's Republic of China.
- 19.3 If TÜV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the law of the People's Republic of China.
- 19.4 If TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.
- 19.5 If TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.
- Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations.
- Unless otherwise stated in the contract, no agreement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:
- a) in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled by arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately chosen by the claiming party.
- b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association (CAA) to be settled by arbitration in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.
- c) in the case of TÜV Rheinland in question being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the arbitration under the Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.
- d) in the case of the relevant arbitration institution shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.